

Supplementary 2

All References

- 1) Ahmad A, Sarda D, Joshi P, Kothari P. Duodenal atresia with “apple-peel configuration” of the ileum and absent superior mesenteric artery: A rare presentation. *African J Paediatr Surg*. 2009;6(2):120-121. doi:10.4103/0189-6725.54780
- 2) Akinola RA, Osuoji RL. Apple peel small bowel, a review of four cases: Surgical and radiographic aspects. *J Nepal Paediatr Soc*. 2011;31(3):227-234. doi:10.3126/jnps.v31i3.5037
- 3) Alnosair AA, Naga MI, Abdulla MR, Al-Salem AH. Congenital duodenal atresia with “apple-peel configuration” of the small intestines and absent superior mesenteric artery: A case report and review of literature. *J Pediatr Surg Case Reports*. 2014;2(5):215-218. doi:10.1016/j.epsc.2014.02.005
- 4) Arbell D, Orkin B, Naveh Y, Gur I, Udassin R. Duodenojejunal atresia with absent dorsal mesentery, choledochal cyst, and malrotation in a premature newborn-a case report. *J Pediatr Surg*. 2006;41(6):e11-e13. doi:10.1016/j.jpedsurg.2006.02.032
- 5) Baglaj M, Carachi R, Lawther S. Multiple atresia of the small intestine: A 20-year review. *Eur J Pediatr Surg*. 2008;18(1):13-18. doi:10.1055/s-2007-965771
- 6) Bellini C, Mazzella M, Arioni C, Fondelli MP, Serra G. “Apple-peel” intestinal atresia, ocular anomalies, and microcephaly syndrome: Brain magnetic resonance imaging study. *Am J Med Genet*. 2002;110(2):176-178. doi:10.1002/ajmg.10392
- 7) Bhalla VK, Pipkin WL, Hatley RM, Howell CG. The use of multiple serial transverse enteroplasty (STEP) procedures for the management of intestinal atresia and short bowel syndrome. *Am Surg*. 2013;79(8):826-828.
- 8) Broekaert IJ, Van Koningsbruggen-Rietschel S, Rietschel E. Cystic Fibrosis as a Rare Cause of Apple Peel Syndrome. *Klin Padiatr*. 2014;226(1):44-46. doi:10.1055/s-0033-1358675
- 9) Calisti A, Olivieri C, Coletta R, Briganti V, Oriolo L, Giannino G. Jejunoileal atresia: Factors affecting the outcome and long-term sequelae. *J Clin Neonatol*. 2012;1(1):38. doi:10.4103/2249-4847.92237
- 10) Dao DT, Demehri FR, Barnewolt CE, Buchmiller TL. A new variant of type III jejunoileal atresia. *J Pediatr Surg*. 2019;54(6):1257-1260. doi:10.1016/j.jpedsurg.2019.02.003
- 11) De Grazia E, Di Pace MR, Caruso AM, Catalano P, Cimador M. Different types of intestinal atresia in identical twins. *J Pediatr Surg*. 2008;43(12):2301-2304. doi:10.1016/j.jpedsurg.2008.08.068
- 12) Digilio MC, Magliozzi M, Di Pede A, et al. Familial aggregation of “apple peel” intestinal atresia and cardiac left-sided obstructive lesions: A possible causal relationship with NOTCH1 gene mutations. *Am J Med Genet Part A*. 2019;179(8):1570-1574. doi:10.1002/ajmg.a.61195
- 13) Ekwunife OH, Oguejofor IC, Modekwe VI, Osuigwe AN. Jejuno-ileal atresia: A 2-year preliminary study on presentation and outcome. *Niger J Clin Pract*. 2012;15(3):354-357. doi:10.4103/1119-3077.100647
- 14) Federici S, Domenichelli V, Antonellini C, Dòmini R. Multiple intestinal atresia with apple peel syndrome: Successful treatment by five end-to-end anastomoses, jejunostomy, and transanastomotic silicone stent. *J Pediatr Surg*. 2003;38(8):1250-1252. doi:10.1016/S0022-3468(03)00281-1
- 15) Filipa J, Mariana M, Marta J, Miroslava G. Staged surgical treatment of apple peel intestinal atresia. *J Pediatr Surg Case Reports*. 2019;49:101293. doi:10.1016/j.epsc.2019.101293
- 16) H. Saha, A. Halder, U. Chatterjee, et al., Clinicopathological study of intestinal smooth muscles, interstitial cells of Cajal and enteric neurons in neo..., *Journal of Pediatric Surgery* <https://doi.org/10.1016/j.jpedsurg.2019.06.003>

- 17) Harper L, Michel JL, De Napoli-Cocci S, et al. One-step management of apple-peel atresia. *Acta Chir Belg.* 2009;109(6):775-777. doi:10.1080/00015458.2009.11680535
- 18) Herman TE, Siegel MJ. Apple peel small bowel. *J Perinatol.* 2008;28(5):380-382. doi:10.1038/sj.jp.7211922
- 19) Imaizumi K, Kimura J, Masuno M, Kuroki Y, Nishi T. Apple-peel intestinal atresia associated with balanced reciprocal translocation t(2;3) (q31.3;p24.2) mat. *Am J Med Genet.* 1999;87(5):434-435. doi:10.1002/(SICI)1096-8628(19991222)87:5<434::AID-AJMG12>3.0.CO;2-V
- 20) Kirtane JM, Bhange SA, Nabi F, Shah V. Duodenal atresia with familial apple peel syndrome: Case study with review of literature. *BMJ Case Rep.* 2019;12(8). doi:10.1136/bcr-2019-230160
- 21) Kshirsagar A, Desai S, Nagvekar M, Vasisth G. Apple-peel atresia presenting as foetal intestinal obstruction. *African J Paediatr Surg.* 2011;8(2):235-236. doi:10.4103/0189-6725.86072
- 22) Lee SH, Cho YH, Kim HY, Park JH, Byun SY. Clinical experience of complex jejunal atresia. *Pediatr Surg Int.* 2012;28(11):1079-1083. doi:10.1007/s00383-012-3131-5
- 23) Malcynski JT, Shorter NA, Mooney DP. The proximal mesenteric flap: A method for closing large mesenteric defects in jejunal atresia. *J Pediatr Surg.* 1994;29(12):1607-1608. doi:10.1016/0022-3468(94)90235-6
- 24) Mangray H, Ghimenton F, Aldous C. Jejuno-ileal atresia: its characteristics and peculiarities concerning apple peel atresia, focused on its treatment and outcomes as experienced in one of the leading South African academic centres. *Pediatr Surg Int.* 2020;36(2):201-207. doi:10.1007/s00383-019-04594-y
- 25) Miraglia R, Catalano P, Maruzzelli L, et al. Balloon dilatation of postoperative small bowel anastomotic stricture in an infant with apple peel intestinal atresia after serial transverse enteroplasty and jejunoileal anastomosis. *J Pediatr Surg.* 2010;45(12):e25-e28. doi:10.1016/j.jpedsurg.2010.08.049
- 26) Nevet MJ, Indelman M, Ben-Ari J, Bergman R. A case of Netherton syndrome with intestinal atresia, a novel SPINK5 mutation, and a fatal course. *Int J Dermatol.* 2017;56(10):1055-1057. doi:10.1111/ijd.13730
- 27) Onofre LS, Maranhão RFDA, Martins ECS, Fachin CG, Martins JL. Apple-peel intestinal atresia: Enteroplasty for intestinal lengthening and primary anastomosis. *J Pediatr Surg.* 2013;48(6):E5-E7. doi:10.1016/j.jpedsurg.2013.04.024
- 28) Ozguner IF, Savas C, Ozguner M, Candir O. Intestinal atresia with segmental musculature and neural defect. *J Pediatr Surg.* 2005;40(8):1232-1237. doi:10.1016/j.jpedsurg.2005.05.032
- 29) Ozlu C, Ozen MA, Gursoy T, Oguzkurt P. Apple Peel Atresia with Isolated Fetal Ascites and Digit Anomalies. *Indian J Pediatr.* 2019;86(8):751. doi:10.1007/s12098-019-02921-8
- 30) Peetsold MG, Ekkelkamp S, Heij HA. Late presentation of duodenal web in a patient with situs inversus and apple peel jejunal atresia. *Pediatr Surg Int.* 2004;20(4):301-303
- 31) Rich BS, Bott M, Spigland N. Multiple intestinal atresia with apple peel syndrome successfully treated with primary repair. *J Pediatr Surg Case Reports.* 2013;1(7):157-159. doi:10.1016/j.epsc.2013.05.015
- 32) Richards C, Holmes SJK. Intestinal dilatation in the fetus. *Arch Dis Child.* 1995;72(2 SUPPL.):F135-F138.
- 33) Sato S, Nishijima E, Muraji T, Tsugawa C, Kimura K. Jejunoileal atresia: A 27-year experience. *J Pediatr Surg.* 1998;33(11):1633-1635. doi:10.1016/S0022-3468(98)90596-6
- 34) Shakya VC, Agrawal CS, Shrestha P, Poudel P, Khaniya S, Adhikary S. Management of jejunoileal atresias: an experience at eastern Nepal. *BMC Surg.* 2010;10:35.

- 35) Slee J, Goldblatt J. Further evidence for a syndrome of “apple peel” intestinal atresia, ocular anomalies and microcephaly. *Clin Genet*. 1996;50(4):260-262. doi:10.1111/j.1399-0004.1996.tb02640.x
- 36) Smith MB, Smith L, Wells W, Shapira E, Hendrickson M, Moynihan PC. Pediatric Surgery in premature twins. 1991:425-428.
- 37) Strømme P, Dahl E, Flage T, Stene-Johansen H. Apple peel intestinal atresia in siblings with ocular anomalies and microcephaly. *Clin Genet*. 1993;44(4):208-210. doi:10.1111/j.13990004.1993.tb03881.x
- 38) Tatekawa Y, Kanehiro H, Nakajima Y. Duodenal atresia associated with “apple peel” small bowel without deletion of fibroblast growth factor-10 or fibroblast growth factor receptor 2IIIb: Report of a case. *Surg Today*. 2007;37(5):430-433. doi:10.1007/s00595-006-3415-2
- 39) Tripathy PK, Pattnaik K, Jena PK, Mohanty HK. Apple-peel intestinal atresia along with isolated jejunal duplication cyst in a newborn – an extremely rare case report and brief review. *J Clin Diagnostic Res*. 2017;11(6):SD01-SD02. doi:10.7860/JCDR/2017/26900.10123
- 40) Turnock RR, Brereton RJ, Spitz L, Kiely EM. Primary anastomosis in apple-peel bowel syndrome. *J Pediatr Surg*. 1991;26(6):718-720. doi:10.1016/0022-3468(91)90018-O
- 41) Waldhausen JHT, Sawin RS. Improved long-term outcome for patients with jejunoileal apple peel atresia. *J Pediatr Surg*. 1997;32(9):1307-1309. doi:10.1016/S0022-3468(97)90308-0
- 42) Weber DM, Freeman N V. Duodenojejunal atresia with apple peel configuration of the ileum and absent superior mesenteric artery: Observations on pathogenesis. *J Pediatr Surg*. 1999;34(9):1427-1429. doi:10.1016/S0022-3468(99)90029-5
- 43) Yolande van Bever, Liselotte van Hest, Roger Wolfs et al. Exclusion of a PAX6, FOXC1, PITX2, and MYCN Mutation in Another Patient With Apple Peel Intestinal Atresia, Ocular Anomalies and Microcephaly and Review of the Literature American Journal of Medical Genetics Part A 146A:500–504 (2008)
- 44) Zhu H, Gao R, Alganabi M, et al. Long-term surgical outcomes of apple-peel atresia. *J Pediatr Surg*. 2019;54(12):2503-2508. doi:10.1016/j.jpedsurg.2019.08.045
- 45) Zvizdic Z, Popovic N, Milisic E, Mesic A, Vranic S. Apple-peel jejunal atresia associated with multiple ileal atresias in a preterm newborn: A rare congenital anomaly. *J Paediatr Child Health*. 2020;56(11):1814-1816. doi:10.1111/jpc.14793
- 46) Bassiri-Tehrani B, Wang A, Harris W, Kessler E. Type IIIB congenital intestinal atresia: A case report. Conference Abstract. *Surgical Endoscopy*. 2019;33:S388-S389. doi:10.1007/s00464-019-06704-2
- 47) Yada K, Mori H, Ishibashi H. Double apple-peel intestinal atresia. Article. *Journal of Pediatric Surgery Case Reports*. 2018;36:44-46. doi:10.1016/j.epsc.2018.07.004
- 48) Cook JA, Bennett C. A child with oligo-syndactyly and 'apple peel' bowel atresia. Article. *Clinical Dysmorphology*. 1995;4(1):79-81. doi:10.1097/00019605-199501000-00012